




TB74N1024/
Q674F1261

or
TB74N1129/
Q674F1101

24V.
Terminal
Block

Compressor
Contactor

Transformer
24V

High Press.
Switch

Defrost
Relay

5/370V
Capacitor

Outdoor
Motor

Blower
Relay

Black

Indoor
Motor

5/440V
Capacitor

Rev.
Valve
Sol.
Coil
(24V)

Def.
Therm.

Defrost
Timer

Terminal
Block

Equip.
Ground

Fused
Disconnect
Switch


FACTORY WIRING	FIELD WIRING
Low Voltage	-----
High Voltage	-----


MODEL
16115

4013-3101

USE COPPER OR
ALUMINUM WIRE

160-69-2





T874N1024/
Q674F1261

or

T874R1129/
Q674F1181

24V.
Terminal
Block

Transformer

24V

High Pressure
Switch

Defrost
Relay

5/370V
Capacitor

Outdoor
Motor

Blower
Relay

Black

Emergency Heat
Relay

Indoor
Motor

4/370
Capacitor

Heater Contactors

Defrost
Timer

Limit

Def.
Therm.

Rev. Valve
Sol. Coil
(24V)

Compressor
Internal Overload

Immersion
Crankcase Heater

Compressor
Contactor

Terminal
Block

Equip.
Ground

Fused
Disconnect
Switch

160-60-3

USE COPPER OR
ALUMINUM WIRE

FACTORY WIRING

Low Voltage

High Voltage

6Kw Heater energized during emergency
heat and compressor cut off only.

MODEL
36W5
Heat Pump
w/15Kw

4013-330G